

Restaurants, Food Service Establishments, Bars, Food Trucks, Convenience Stores Utah's Low Risk Phase Guidelines



Moving to yellow

A color-coded health guidance system has been developed by the State of Utah to quide health behaviors for individuals and businesses. Each level of the dial is guided by a rigorous measurement system which can be different by each region, county, city, or community.

Dine-in service and bars are opened, with tables arranged so there is appropriate distance between diners. Increased hygiene practices for customers and staff

• Follow all employer guidelines (see below)

For dine-in services

Dine-in services, including buffets and bars, may be open under the following requirements

- Limit tables to groups of 10, preferably members of the same household
- Groups of patrons at a table must maintain a distance of 6 feet from patrons of other parties at all times. Either move tables or mark off tables not to be used
- In waiting areas, a 6-foot distance must be maintained between parties, whether indoor or outdoor
- Maintain signage to remind individuals from separate parties to stand at least 6 feet apart; waiting area has floor markers to indicate proper spacing
- Hosts preferably open doors for customers and guide them to their seats to prevent traffic or congregating; hand sanitizer available at door
- Recommendation that upon entry, hosts point guests to signage that includes the following information:
 - -Outlines symptoms* and encourages that if the patron, or someone they live with, has experienced COVID-19 symptoms, to please order takeout instead
 - Recommendation for high-risk individuals** to order takeout/delivery instead of dining in for the protection of that individual
- Manager checks each employee for symptoms before every shift with temperatures taken and asks if any member of the employee's household has tested positive for COVID-19 in the past 14 days. Log must be kept and available for inspection by the local health officer
- Staff must wear face coverings at all times and perform hand hygiene between interactions with each table
- Cups, lids, napkins and straws must be handed directly to customers by staff
- Do not place utensils on table until patron is seated





- Encourage contactless and non-signature payment; when not possible, card and payment stations must be sanitized after each use. Staff must sanitize hands between handling payment options and food/containers
- Staff avoid touching items that have been placed on the table (menus, plates, utensils, pens, cups, etc.). The table will be cleared by a dedicated staff member once all guests have left
- Dedicated staff member sanitizes the area occupied by customers upon departure including tables, menus, pens, salt and pepper shakers, etc. Consider use of disposable items if necessary
- The restaurant may not operate if PPE, EPA-approved disinfectants and sanitizers, soap, and other necessary cleaning supplies are not available; sanitizer is effective against COVID-19. Chlorine (bleach) at 100-200 ppm is recommended
- Hand sanitizer must be available immediately adjacent to bathrooms
- Close restaurant for cleaning and disinfecting in the morning, afternoon, and evening. Cleaning and disinfecting includes all tables, chairs, door handles, floors, bathrooms, and any high-touch surfaces
- Buffet and self-serve restaurants will provide utensils, cups, plates and other service items only from the counter where food is ordered. None of these items will be accessible to the public. Buffet style restaurants will provide servers who will serve the meals from buffet to limit exposure. Patrons will not be allowed within 6 feet of the food serving area
- Stagger workstations so employees are not facing one another and are 6 feet apart
- To-go boxes, pizza boxes, paper cups, and any other paper product that touches food must be treated as food
- Staff must use gloves when handling ready-to-eat foods (including ice). Gloves are not required when handling foods that have yet to be cooked
- Indoor playgrounds in restaurants remain closed

For takeout services

- Symptom checking of employees
- Staff wear face coverings
- Stagger workstations so workers can maintain a 6-foot distance and do not face one another
- Encourage contactless payment; if not possible, disinfect transaction terminal between customers
- Staff must sanitize hands between handling payment options and food/containers
- When delivering food, drivers use hand sanitizer before passing delivery to customers and use disposable containers/packaging that do not need to be returned
- Employers provide personal protection equipment such as face coverings, hair nets, gloves, overalls
- Customers voluntarily provide contact information to assist with contact tracing efforts





General Employer Guidelines

Employers encourage flexible working arrangements (rotating shifts, remote work, etc.). Comply with distancing guidelines. Increased cleaning regimen of high-touch areas. Monitor employees for symptoms and well-being.

- All businesses open
- Employers take reasonable precautions
- Provide accommodations to high-risk employees; minimize face-to-face contact, assign tasks that allow these individuals to maintain a 6-foot distance from other employees or customers, implement flexible work hours or staggered shifts, allow high-risk individuals to work remotely
- Symptom* checking in business interactions
- Face coverings worn in settings where other social distancing measures are difficult to maintain; ensure that face coverings are available
- Encourage remote work when possible; employers exercise discretion with returning to onsite work
- Workplaces comply with distancing and hygiene guidelines
- Limit unnecessary travel
- Require employees to self-quarantine when returning from high-risk*** areas
- Employers evaluate workforce strategy and concerns and enact strategies to minimize economic impact
- Employers must not allow any individuals under isolation or quarantine to come to work at any time unless authorized by LHD
- * Symptoms include fever of 100.4 degrees Fahrenheit or above, cough, trouble breathing, sore throat, sudden change in taste or smell, muscle aches or pains
- ** High-risk individuals are defined as people 65 years and older, people who live in a nursing home or long-term care facility, people of all ages with underlying medical conditions, including lung disease or moderate to severe asthma, people who have serious heart conditions, people who are immunocompromised (many conditions can cause a person to be immunocompromised, including cancer treatment, smoking, bone marrow or organ transplantation, immune deficiencies, poorly controlled HIV or AIDS, and prolonged use of corticosteroids and other immune weakening medications), people with severe obesity, diabetes, chronic kidney disease undergoing dialysis, or liver disease
- *** https://www.cdc.gov/coronavirus/2019-ncov/travelers/map-and-travel-notices.html#travel-1



